

CARBO BLENDER





BLENDING AND CARBONATION

Accurate control of both blending and carbonization is essential in high gravity brewing. Pentair's Carbo Blender combines both these functions in one skid-mounted unit, enabling the optimization of beer production with regard to both quantity and quality. Deaerated water dosing is controlled by either original gravity or alcohol measurement, and carbon dioxide (CO_2) dosing by CO_2 measurement. In addition, there is the option for combined CO_2/O_2 measurement.

The Carbo Blender performs blending on the basis of water/beer ratio control, with correction on either original gravity or alcohol content through PLC control. This ensures that the blending process is both effective and highly accurate. After blending, carbonation takes place by injecting $\rm CO_2$ at the inlet of a dissolution tube. The $\rm CO_2$ is then finely dispersed and dissolved by a set of static mixers, which are engineered to suit your specific process conditions, guaranteeing complete, bubble-free dissolving of the $\rm CO_2$.

The Carbo Blender is a skid-mounted system, consisting solely of proven components. It includes all required piping, wiring and a PLC control system. The hygienic, fully automated and reliable design guarantees easy handling, low maintenance and a long service life. The quality and reliability of the Carbo Blender is backed by our many references around the world.

BENEFITS

- Perfect process and product control
 - high measuring and control accuracy
- hygienic design
- bubble-free CO2 dissolving
- Cost saving
- no product loss
- integrated dosing control (embedded software)

CARBO BLENDER CBR

TECHNICAL DATA

Measuring range

 CO_2 2.0 - 9.99 g/l Original Gravity 0 - 20 °Plato O_2 (optional) 0.0 - 2,000 ppb

Material

Product-contact parts AISI 316
Non-contact parts AISI 314/ABS

Control Cabinet

Protection class IP54

APPLICATIONS

Automated and accurate blending and carbonization of beverages

SCOPE OF SUPPLY

- · Skid-mounted blending tubes
- · High gravity beer and water flow meters
- · Water flow control valve
- · Original gravity measurement
- · PLC blending control
- Skid-mounted CO2 dissolution tube
- Static mixers
- Haffmans' CO2 dosing block
- AuCoMet-i CO₂ measurement & dosing control device
- · Instruction manual

OPTIONS

- Pressure control loop
- Constant pressure valve
- PLC for control of auxiliary equipment
- Product booster pump
- Profibus or extended I/O Data communication
- Nitrogenation
- O₂ measurement with Haffmans' OGM

LEARN MORE

Interested in an inquiry or more information:

Click or scan our QR code to contact us
or visit us at FOODANDBEVERAGE.PENTAIR.COM



RIESBÜRG INDUSTRIESTR. 7 73469 RIESBÜRG GERMANY

DAYTONA BEACH 2361 MASON AVE DAYTONA BEACH, FL 32117 VENLO MARINUS DAMMEWEG 30 5928 PW, VENLO THE NETHERLANDS FREDERICIA SNAREMOSEVEJ 27 7000 FREDERICIA

